

SPICE Model Parameters

Please copy this code from the SPICE model into LTSPICE (version 4) software for simulation of the GA10JT12-263.

```
*      MODEL OF GeneSiC Semiconductor Inc.  
*  
*      $Revision:  2.0          $  
*      $Date:    20-NOV-2015      $  
  
*      GeneSiC Semiconductor Inc.  
*      43670 Trade Center Place Ste. 155  
*      Dulles, VA 20166  
  
*      COPYRIGHT (C) 2015 GeneSiC Semiconductor Inc.  
*      ALL RIGHTS RESERVED  
  
* These models are provided "AS IS, WHERE IS, AND WITH NO WARRANTY  
* OF ANY KIND EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED  
* TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A  
* PARTICULAR PURPOSE."  
* Models accurate up to 2 times rated drain current.  
*.model GA10JT12 NPN  
+ IS      9.833E-48  
+ ISE     1.073E-26  
+ EG      3.23  
+ BF      87  
+ BR      0.55  
+ IKF     5000  
+ NF      1  
+ NE      2  
+ RB      4.67  
+ IRB    0.001  
+ RBM    0.16  
+ RE      0.005  
+ RC      0.08  
+ CJC     229.9E-12  
+ VJC     3.22  
+ MJC     0.492  
+ CJE     1244E-9  
+ VJE     2.86  
+ MJE     0.465  
+ XTI     3  
+ XTB     -1.35  
+ TRC1    7E-3  
+ VCEO    1200  
+ ICRATING 10  
+ MFG     GeneSiC_Semiconductor  
*  
* End of GA10JT12 SPICE Model
```